

# ORM

ONTARIO REDIMIX

A CRH COMPANY

## 2024 Price List



## Strength Mixes

MIX	Price
10 MPa	\$232.00/m <sup>3</sup>
15 MPa	\$236.00/m <sup>3</sup>
20 MPa	\$244.00/m <sup>3</sup>
25 MPa	\$256.00/m <sup>3</sup>
30 MPa	\$265.00/m <sup>3</sup>

MIX	Price
35 MPa	\$280.00/m <sup>3</sup>
40 MPa	\$289.00/m <sup>3</sup>
45 MPa	\$317.00/m <sup>3</sup>
50 MPa	\$380.00/m <sup>3*</sup>
65 MPa	On request**

Note: The above standard strength mixes are based on mix designs including a water reducing admixture

\*Includes HSF Cement and Superplasticizer. \*\*65 MPa Mixes and Higher includes HSF Cement, Superplasticizer and Temperature Control.

## Segmentation Pricing

CAISSONS & SHORING	Price
0.4 MPa Piling Mix	\$217.00/m <sup>3</sup>
2.0 MPa Piling	\$219.00/m <sup>3</sup>
20 MPa 150mm slump	\$259.00/m <sup>3</sup>
25 MPa 150mm slump	\$271.00/m <sup>3</sup>
30 MPa 150mm slump	\$280.00/m <sup>3</sup>

RESIDENTIAL HOUSING	Price
Footings & Walls 15 MPa	\$244.00/m <sup>3</sup>
0.70w/c (OBC) Class R1 & R2	
Footings & Walls 20 MPa	\$252.00/m <sup>3</sup>
0.70w/c (OBC) Class R1 & R2	
Basement Floors 25 MPa 0.65w/c R3 (OBC)	\$258.00/m <sup>3</sup>

CONTROLLED DENSITY/FILLS	Price
Unshrinkable Fill	\$214.00/m <sup>3</sup>
4.0 MPa Pipe bedding	\$221.00/m <sup>3</sup>

## CSA Specification Mixes CAN/CSA-A23.1-19

STRENGTH	CLASS OF EXPOSURE**	W/C RATIO	Price
25 MPa	F-2, C-4	0.55	\$264.00/m <sup>3</sup>
30 MPa	F-1, C-3, S-3	0.50	\$273.00/m <sup>3**</sup>
32 MPa	C-2, S-2	0.45	\$280.00/m <sup>3**</sup>
35 MPa	C-1	0.40	<1500 Coulombs \$288.00/m <sup>3</sup>
40 MPa	C-1	0.40	<1500 Coulombs \$316.00/m <sup>3</sup>
50 MPa (56 days)	CXL	0.40	<1000 Coulombs \$395.00/m <sup>3</sup>

\*\* In conformance with Section 4, Table 3 National Standards of Canada, CAN/CSA-A-23.1-19 "S" Series exposure prices are based on acceptable Portland/Slag blends for sulphate resistance

## MTO/OPSS Mixes

MIX	Price
15 MPa	\$420.00/m <sup>3*</sup>
20 MPa	\$470.00/m <sup>3*</sup>
25 MPa	\$520.00/m <sup>3*</sup>
30 MPa	\$570.00/m <sup>3*</sup>

MIX	Price
30 MPa Gunite Mix	\$670.00/m <sup>3*</sup>
35 MPa	\$620.00/m <sup>3*</sup>
30 MPa Low Slump Tall Wall Mix	\$970.00/m <sup>3*</sup>
35 MPa Low Slump Tall Wall Mix	\$1,020.00/m <sup>3*</sup>
35 MPa SCC	\$720.00/m <sup>3*</sup>
50 MPa	\$720.00/m <sup>3*</sup>

Note: for all MTO orders a minimum load size of 3 m<sup>3</sup> is required

Projects may require supporting concrete mix documentations, Linear Shrinkage, AVS, RCP (includes concrete test load)

\*Includes temperature control from June 1 to September 30 as per MTO/OPSS requirements

MTO/OPSS pricing may vary significantly from price list, pending full review of application and specification on individual projects.

Linear Shrinkage Testing	\$2,000.00/test
Rapid Chloride Permeability (RCP)	\$2,000.00/test

Air Void System (AVS)	\$2,000.00/test
MTO Material Sampling Charge (as per OPSS)	\$1,000.00/event

## Aggregate/Blocks

13/14 mm Limestone / Crushed Gravel	\$20.00/m <sup>3</sup>
40 mm Stone	On Request
<b>BLOCKS - SIZES AVAILABLE:</b>	\$125.00ea
1) 4'x2'x2' (2500 lbs) non-interlocking	
2) 5'x2'x2' (3000 lbs) non-interlocking	
3) 6'x3'x2' (5200 lbs) interlocking	
4) 9'x3'x2' (7000 lbs) interlocking	
Jersey Barriers	On Request

Block sizes and availability vary from plant to plant

## Grout Mixes

35 MPa 1-1	\$388.00/m <sup>3</sup>
30 MPa 1-1.5	\$368.00/m <sup>3</sup>
25 MPa 1-2	\$338.00/m <sup>3</sup>
20 MPa 1-2.5	\$327.00/m <sup>3</sup>
15 MPa 1-3	\$317.00/m <sup>3</sup>
10 MPa 1-4	\$307.00/m <sup>3</sup>
Pump Priming Grout	\$647.00/m <sup>3</sup>

## Concrete Enhancement Products

<b>SUPERPLASTICIZERS</b>		\$20.00/m <sup>3</sup>
<b>AIR ENTRAINMENT</b>	Less than 25 MPa	\$6.00/m <sup>3</sup>
	25 MPa and Less than 40 MPa	\$8.00/m <sup>3</sup>
	40 MPa and Greater	On Request
<b>RX EXTENDED RETARDATION</b>	4 hr	\$20.00/m <sup>3</sup>
<b>R &amp; SR NORMAL RETARDATION</b>	2 hr	\$15.00/m <sup>3</sup>
<b>CALCIUM CHLORIDE</b>	1%	\$9.00/m <sup>3</sup>
	2%	\$12.00/m <sup>3</sup>
<b>COLOUR PIGMENTS</b>		On Request
<b>COLOUR WASHOUT</b>		\$150.00/Load

<b>NON-CHLORIDE ACCELERATOR</b>	1% & 2%	On request
<b>CORROSION INHIBITING ADMIXTURE</b>		\$5.00/litre
<b>HOT WEATHER COOLING (ice only)</b>		
Concrete Temperatures 26°C to 30°C		\$80.00/m <sup>3</sup>
Concrete Temperatures 22°C to 25°C		\$100.00/m <sup>3</sup>
Concrete Temperatures below 22°C		On Request
<b>FAST TRACK CONCRETE</b>		Subject to Specification
<b>CELLULAR CONCRETE</b>		On Request
<b>MICRO FIBERS</b>		\$25.00/m <sup>3</sup>
<b>MACRO FIBERS</b>		On Request

## Accelerated Strength Gain Mixes

DESIGN STRENGTH	75% OF DESIGN STRENGTH IN 24 HOURS	75% OF DESIGN STRENGTH IN 48 HOURS	75% OF DESIGN STRENGTH IN 72 HOURS
25 MPa, add	\$58.00/m <sup>3</sup>	\$46.00/m <sup>3</sup>	\$42.00/m <sup>3</sup>
30 MPa, add	\$60.00/m <sup>3</sup>	\$48.00/m <sup>3</sup>	\$44.00/m <sup>3</sup>
32 MPa, add	\$61.00/m <sup>3</sup>	\$49.00/m <sup>3</sup>	\$45.00/m <sup>3</sup>
35 MPa, add	\$62.00/m <sup>3</sup>	\$49.00/m <sup>3</sup>	\$46.00/m <sup>3</sup>
40 MPa, add	\$64.00/m <sup>3</sup>	\$52.00/m <sup>3</sup>	\$48.00/m <sup>3</sup>
35 MPa, C-1, <1500 Coulombs, add	\$69.00/m <sup>3</sup>	\$55.00/m <sup>3</sup>	\$51.00/m <sup>3</sup>

Based on minimum temperature of 20°C with supplementary heating as per C.S.A. requirements

## Cold Weather Concrete

### THERMALCRETE MIXES

#### AMBIENT TEMPERATURE DEGREES CELSIUS

AMBIENT TEMPERATURE DEGREES CELSIUS	THERMAL ADDITIVE	Price
Above +6	Thermal +6°C	\$36.00/m <sup>3</sup>
+3 to +5	Thermal +3°C	\$41.00/m <sup>3</sup>
0 to +2	Thermal 0°C	\$47.00/m <sup>3</sup>
-3 to -1	Thermal -3°C	\$52.00/m <sup>3</sup>
-7 to -4	Thermal -7°C	\$65.00/m <sup>3</sup>
-10 to -8	Thermal -10°C	\$75.00/m <sup>3</sup>
-15 to -11	Thermal -15°C	\$85.00/m <sup>3</sup>

Ambient temperature refers to 12hrs after it has been poured.

All Thermalcrete mixes require a minimum 30MPa compressive strength.

DISCLAIMER - Prices may change with 30 days notice. Please refer to [www.ontarioredimix.com](http://www.ontarioredimix.com) for more recent pricing.

# Additional Service Charges

ALL CONCRETE PRICING IS SUBJECT TO AN ANNUAL INCREASE ON JANUARY 1<sup>ST</sup>. PLEASE CONTACT YOUR SALES REPRESENTATIVES FOR DETAILS.

## PUMP MIXES

- Standard Mixes - 5" Pump Line Required \$15.00/m<sup>3</sup>
- Pump Mixes for 2" Pump Lines On Request

SMALL LOAD CHARGES	1.00m <sup>3</sup> - 3.00m <sup>3</sup>	\$400.00/load
	3.25m <sup>3</sup> - 4.00m <sup>3</sup>	\$250.00/load
	4.25m <sup>3</sup> - 5.00m <sup>3</sup>	\$150.00/load

All concrete mixes require 3m<sup>3</sup> minimum in order to ensure a quality product.

Requesting custom load sizes for pours may incur premiums.

## SECOND BALANCE LOAD CHARGE

All concrete orders 9m<sup>3</sup> and over get one free balance.

## RESTRICTED AXLE WEIGHT SEASON CHARGES

When Highway Traffic Act restrictions are in effect a Restricted Load Charge will apply \$400.00/load

ENVIRO AND WASHWATER FEE (ALL ORDERS) \$9.00/m<sup>3</sup>

WINTER HANDLING - NOVEMBER 1 TO APRIL 30 \$22.00/m<sup>3</sup>

CARBON TAX AND TOARC FEE (ALL ORDERS) \$3.00/m<sup>3</sup>

## SITE SUPERVISION AND TESTING CHARGE

- Minimum load size 5m<sup>3</sup> required \$20.00/m<sup>3</sup>

## DELIVERY HOURS

Regular business hours 7 a.m. to 5 p.m., Monday through Friday. For completion of any delivery started:

- After 5 p.m. and before 9 p.m. \$40.00/m<sup>3</sup>
- After 9 p.m. and before 7 a.m. \$70.00/m<sup>3</sup>
- Saturday Delivery \$30.00/m<sup>3</sup>

Plant opening charge may apply

## WAITING TIME

- Sixty (60) minutes per 9m<sup>3</sup> load allowed for unloading unless otherwise specified
- Additional time - \$10.00/min

PLANT START UP CHARGE \$6,000.00

## POUR CANCELLATION CHARGE

A minimum of \$1,000.00 will apply to all pour cancellations. The \$1,000.00 includes expenses incurred for the first ready-mix truck, batcher and loader operator. For each additional ready-mix truck an additional \$200.00 charge will apply. Notice of pour cancellation must be received 24 hours in advance prior to the pour.

## MATURITY INFIELD STRENGTH DETERMINATION

- Early stripping On request

RETURNED CONCRETE \$50.00/m<sup>3</sup>

## VARIABLE FUEL SURCHARGE (ALL ORDERS)

All concrete will be charged a Variable Fuel Surcharge, based on the average monthly rack rate, which will be posted on the Ontario Redimix Website.

The fuel surcharge will be adjusted the first day of each month, Based on the previous months average rack rate. The surcharge will be adjusted as outlined in the table below.

Rack Rate	Fuel Surcharge
<\$0.67/L	\$0.00/m <sup>3</sup>
\$0.67/L to <\$0.77/L	\$1.00/m <sup>3</sup>
\$0.77/L to <\$0.87/L	\$2.00/m <sup>3</sup>
\$0.87/L to <\$0.97/L	\$3.00/m <sup>3</sup>
\$0.97/L to <\$1.07/L	\$4.00/m <sup>3</sup>
\$1.07/L to <\$1.17/L	\$5.00/m <sup>3</sup>
\$1.17/L to <\$1.27/L	\$6.00/m <sup>3</sup>
\$1.27/L to <\$1.37/L	\$7.00/m <sup>3</sup>
\$1.37/L to <\$1.47/L	\$8.00/m <sup>3</sup>
\$1.47/L to <\$1.57/L	\$9.00/m <sup>3</sup>
\$1.57/L to <\$1.67/L	\$10.00/m <sup>3</sup>

## DELIVERY NOTES

It is the contractor's responsibility to provide safe access to enter and exit the site, as well as provide a lit staging area and trained flagman for all trucks. Ontario Redimix has experienced and trained personnel to assist our customers to ensure these requirements are met in a safe and timely manner, please contact us if you require these additional services.

Ontario Redimix prides itself on delivering quality products and services however, variables beyond our control such as weather, traffic or utility outages can affect our services.

## ONTARIO REDIMIX PLANT LOCATIONS

### Ontario Redimix Hamilton

1875 Barton Street East  
Hamilton Ontario Canada  
L8H 2Y7  
Tel.: 1-855-225-5676

### Ontario Redimix Etobicoke

21 Goodmark Place, Unit 3  
Etobicoke Ontario Canada  
M9W 6P9  
Tel.: 1-855-225-5676

### Ontario Redimix Pickering

1605 Feldspar Court  
Pickering Ontario Canada  
L1W 3R7  
Tel.: 1-855-225-5676

### Ontario Redimix Milton

105 Steeles Avenue East  
Milton Ontario Canada  
L9T 4K6  
Tel.: 1-855-225-5676

### Ontario Redimix Toronto

8 Unwin Avenue  
Toronto Ontario Canada  
M5A 3L1  
Tel.: 1-855-225-5676

## CORPORATE OFFICE

### CRH Canada Group Inc.

2300 Steeles Avenue West, 4<sup>th</sup> floor  
Concord, Ontario L4K 5X6  
Tel.: 905-761-7100  
Fax: 905-761-7200  
www.crhcanada.com